

H

## INDEX MAPS.

**T. 22N, R. 5 W. 2<sup>nd</sup> Mer.**

	303		303		303		302		302		302	
305	6	321	5	317	4	314	3	311	2	308	1	301
	321		321		317		314		311		308	
304	7	321	8	316	9	314	10	310	11	307	12	301
	320		320		316		313		310		307	
304	18	320	17	316	16	313	15	310	14	307	13	301
	320		319		316		313		310		306	
304	19	319	20	315	21	313	22	309	23	306	24	301
	318		319		315		312		309		305	
304	30	318	29	315	28	312	27	309	26	305	25	300
	318		317		314		311		309		305	
303	31	317	32	314	33	311	34	308	35	305	36	300
	300		299		299		299		299		299	

**T. 23N, R. 5 W. 2<sup>nd</sup> Mer.**

	328		328		327		327		327		326	
330	6	350	5	349	4	343	3	340	2	336	1	326
	350		348		349		343		340		336	
329	7	348	8	348	9	343	10	339	11	335	12	326
	350		347		346		342		339		335	
329	18	347	17	345	16	342	15	339	14	335	13	325
	351		347		345		342		338		334	
329	19	346	20	344	21	341	22	338	23	334	24	325
	351		346		344		341		338		334	
328	30	346	29	344	28	340	27	337	26	333	25	325
	333		332		332		331		337		336	
328	31	332	32	331	33	331	34	330	35	333	36	324
	324		324		324		323		323		323	

Meanders 352

The figures on the lines refer to the page.

Township N. 23 North, Range N. 5 West 2. Mer. Ind.

Township Line.

Lev. Sp. South Boundary. Var. 6° 05' E

Bearings at cor. of T. 22 & 23 N., R. 5 & 6 W.

a — 27 in. dia. lean North 32 N. dist. 2

a W. Oak 30 s s s S 76° 7' W 63 s s

West on the S. Boundary of Sec. 36

40.00 cut of sec. port from which

a W. Oak 20 in. dia. lean S 86° E 46 N. dist. 2

a Do 12 s s s N 74° W 18 s s

80.00 cut port cor. of sec. 35 & 36 from which

a W. Oak 14 in. dia. lean N 56° E 47 N. dist. 2

a Do 18 s s s S 15° E 26 s s

Oak land of a good quality, very level, woods  
open & covered with grass

West on the S. Boundary of Sec. 35

5.00 enter Prairie

40.00 cut of sec. port from which

a Willow 9 in. dia. lean S 76° E 81 N. dist. 2

a W. Oak 24 s s s N 15° E 175 s s

49.00 a creek 50 N. wide corner N

80.00 cut port cor. of sec. 34 & 35 from which

a W. Oak 27 in. dia. lean S 32° W 316 N. dist. 4

a Do 18 s s s West 690 s s

Good farming land

West on the S. Boundary of Sec. 34

5.00 enter woods

30.00 " Prairie

40.00 cut of sec. port from which

a W. Oak 30 in. dia. lean N 40° E 491 N. dist. 1

(no other Bearing tree)

80.00 cut port cor. of sec. 33 & 34 in Prairie and

made a Monid.

Land 1<sup>st</sup> rate



## T. 23 N., R. 5 W. 2. Mer. Ind.?

Chs. Lks.

West on the S. Boundary of Sec. 33

40.00 set of sec. post in Prairie and made a Mound

80.00 set post cor. of sec. 32 &amp; 33 in Prairie and made a Mound.

Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 32

40.00 set of sec. post in Prairie and made a Mound

80.00 set post cor. of sec. 31 &amp; 32 in Prairie and made a Mound.

Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 31

40.00 set of sec. post in Prairie and made Mound

71.95 Intersect Range line 377<sup>1</sup>/<sub>2</sub> M. S. of temp. Township cor. - set post at intersection cor. of T. 22 & 23 N., R. 5 & 6 W. in Prairie and made a Mound - Land 1<sup>st</sup> rateEast Boundary, Var. 6<sup>th</sup> 10. E.

North on the E. Boundary of Sec. 36

December 6. 1819

40.00 set of sec. post from which

a B. Oak 15 in. diameter N 65 W 18 M. dist. 3

a W. Oak 20 " " " S 68 E 40 " "

54.45 set post on the left bank of Wabash R. from which

a Hackberry 36 in. diameter N 30 E 16 M. dist. 3

a Maple 30 " " " N 85 W 52 " "

Hackberry bearing tree pealed for a tree of Observation, line crosses lower part of an Island (Continued in August 1820)

11.66 set post on right bank of Wabash R. from which

a Sugar 7 in. diameter S 8 E 6 M. dist. 3

a Do 15 " " " North 20 " "

18.00 enter Prairie

25.55 set post cor. of sec. 25 &amp; 36 from which

T. 23 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
Chh. Sh.

a Hackberry 36 in. dia. leans S 1 W 634 lbs. dist.  
(no other Bearing tree)  
Overflowed land

North on the E. Boundary of Sec. 25

14.00 passed Prairie

23.53 a S. Oak 33 in. dia.

40.00 set of sec. post from which

a W. Oak 30 in. dia. leans S 80 E 40 lbs. dist. &

a W. Oak 27 " " " N 28 W 31 " "

55.00 enter Prairie

80.00 set post cor. of sec. 24 & 25 in Prairie & made

a Mound from which

a W. Oak 27 in. dia. leans S 37 E 971 lbs. dist.

Prairie rich and good for farming, timbered  
part good Oak land

North on the E. Boundary of Sec. 24

31.00 passed Prairie

40.00 set of sec. post from which

a S. Oak 36 in. dia. leans S 31 E 86 lbs. dist.

(no other Bearing tree)

62.32 a S. Oak 27 in. dia.

80.00 set post cor. of sec. 13 & 24 from which

a Hickory 18 in. dia. leans N 5 E 183 lbs. dist. &

a B. Oak 30 " " " S 70 W 233 " "

Land level & good for farming, rich soil, not  
much timber, Barrens

North on the E. Boundary of Sec. 13

21.13 a W. Oak 4 in. dia.

40.00 set of sec. post from which

a S. Oak 20 in. dia. leans S 39 W 73 lbs. dist. &

a Sugar 24 " " " N 62 W 85 " "

55.67 a W. Oak 30 " "

80.00 set post cor. of sec. 12 & 13 from which

T. 23 N., R. 5 W. 2. Mer. Ind.  
Ch. Lk?

a Hickory 20 in. diameter N 51° W 32 lb. dist. 8  
a Spr 14 " " " South 43 " "  
Land of a middling good quality.

---

North on the E. Boundary of Sec. 12

Variation by Observation 5° 56' E

" run by 6° 10' E

40.00 set of sec. post from which

a W. Oak 30 in. diameter S 75° E 14 lb. dist. 8

a Spr 14 " " " S 57° W 28 " "

59.38 a Hickory 15 " "

80.00 set post cor. of sec. 1 & 12 from which

a Sugar 14 in. diameter S 45° E 16 lb. dist. 8

a W. Oak 18 " " " S 29° W 65 " "

Rich Oak & Hickory land, level and good for farming

---

North on the E. Boundary of Sec. 1

28.71 a W. Oak 24 in. dia.

40.00 set of sec. post from which

a W. Oak 20 in. diameter N 70° W 91 lb. dist. 8

an Elm 14 " " " S 38° E 66 " "

53.00 enter Prairie

80.00 set temp. Township corner post

Land of a middling good quality.

[ 80.62 to post cor. of T. 23 & 24 N., R. 4 & 5 W. from which  
a B. Oak 30 in. diameter S 26° E 236 lb. dist. 8  
a Hickory 24 " " " S 77° W 141 " " ]

---

North Boundary. Var. 5° 56' E.

West on the S. Boundary of Sec. 36, T. 24 N., R. 5 W

August 14. 1820

40.00 set of sec. post from which

a B. Oak 30 in. diameter S 23½° E 326 lb. dist. 8

an Elm 12 " " " S 63½° E 387 " "

65.00 passed Prairie

T. 23 N., R. 5 W. 2. Mer. Ind. a.  
Chs. 9th.

80.00 set part cor. of sec. 35 & 36 from which  
a Sugar 18 in. dia. bears N 3 E 65 lbs. dist. 8  
a S. Oak 27 " " " S 28 W 46 " "  
Land rich & good for farming, timber Oak,  
Hickory & Sugar

West on the S. Boundary of Sec. 35, T 24 N, R 5 W  
30.37 a Buckeye 5 in. dia.

40.00 set of sec. part from which  
an Elm 24 in. dia. bears S 83 W 40 lbs. dist. 8  
a Do 12 " " " N 13 W 59 " "

71.00 a Brook 10 lbs. wide corner S

80.00 set part cor. of sec. 34 & 35 from which  
a W. Oak 20 in. dia. bears S 42 W 250 lbs. dist. 8  
a Do 24 " " " N 9 1/2 E — " "  
Land same as last noted

West on the S. Boundary of Sec. 34, T 24 N, R 5 W

40.00 set of sec. part from which  
a W. Oak 27 in. dia. bears S 11 W 35 lbs. dist. 8  
a Do 30 " " " S 69 E 194 " "

55.00 enter Prairie

80.00 set part cor. of sec. 33 & 34 in Prairie and  
made a Mound.

Land same as last noted

West on the S. Boundary of Sec. 33, T 24 N, R 5 W

40.00 set of sec. part in Prairie and made a Mound  
from which

a W. Oak 10 in. dia. bears S 69 E 725 lbs. dist.

71.87 a Do 24 " "

80.00 set part cor. of sec. 32 & 33 from which  
a Hickory 27 in. dia. bears S 69 E — lbs. dist. 8  
a Do 20 " " " N 9 E 232 " "  
Rich land & good for farming.



T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind<sup>d</sup>

Chs. Sh.

West on the S. Boundary of Sec. 32, T24N, R5W

40.00 set q. sec. post from which

a Hickory 20 in. diameter S16W 476 yds. dist. 8

(no other Bearing tree)

80.00 set post cor. of sec. 31 &amp; 32 in Prairie and made

a Mound, from which

a W. Oak 30 in. diameter N89W 14.29 Chs. dist.

Rich land and good for farming

West on the S. Boundary of Sec. 31, T24N, R5W

35.00 passed Prairie

40.00 set q. sec. post from which

a Hickory 20 in. diameter N65E 47 yds. dist. 8

a B. Oak 24 " " " N10W 30 " "

69.24 Intersect. Range line 405 yds. N. of temp. Township

corner - set post at intersection cor. of T23 &amp;

24N, R5W from which

a W. Oak 40 in. diameter S53½E 55 yds. dist. 2

a Hickory 24 " " " S63W 42 " "

(Description of land &amp;c. omitted)

West Boundary. Var. 6° 20' E.

North on the E. Boundary of Sec. 36, T23N, R6W

40.00 set q. sec. post in Prairie and made a Mound

80.00 set post cor. of sec. 25 &amp; 36 in Prairie and made

a Mound. - Land 1<sup>st</sup> rate -

North on the E. Boundary of Sec. 25, T23N, R6W

40.00 set q. sec. post from which

a Maple 30 in. diameter N34½W 348 yds. dist.

(no other Bearing tree)

45.78 a Maple 30 in. dia. stands for Meander post on the left bank of Wabash River.

(Description of land &amp;c. omitted)

(Continued in August 1820) Var. 6° 25' E.

10.73 set post on right bank of Wabash R. from which

T. 23 N., R. 5 W. 2. Mer. Ind<sup>4</sup>  
Chs. Lbr.

a Mulberry - in. diameter S 66° W 370 lbs. dist.  
34.22 set part cor. of sec. 24 & 25 from which  
a W. Oak 20 in. diameter N 73° E 42 lbs. dist. 8  
a Do 12 " " " S 79° W 43 " "  
Mostly low overflowed land

North on the E. Boundary of Sec. 24, T 23 N, R 6 W  
19.72 a W. Oak 30 in. dia.  
40.00 lot of sec. part from which  
a W. Oak 24 in. diameter S 46° W 8 lbs. dist. 8  
a Do 30 " " " N 76° E 104 " "  
80.00 lot part cor. of sec. 13 & 24 from which  
a W. Oak 30 in. diameter S 63½° E 170 lbs. dist. 8  
a Sycamore 24 " " " N 2° E 270 " "  
(Description of land &c. omitted)

North on the E. Boundary of Sec. 13, T 23 N, R 6 W  
August 12, 1820. Variation by Observation 6° 31' E.  
run by Var. 6° 25' E  
3.00 a Brook 12 lbs. wide course S W  
40.00 lot of sec. part from which  
a W. Oak 24 in. diameter S 27° W 17 lbs. dist. 8  
a B. Oak 27 " " " N 67° E 52 " "  
55.62 a W. Oak 12 " "  
63.00 a Brook 8 lbs. wide course S E  
80.00 lot part cor. of sec. 12 & 13 from which  
a W. Oak 30 in. diameter S 68° E 39 lbs. dist. 8  
a Do 33 " " " S 60° W 44 " "  
Land of a middling quality, rather broken

North on the E. Boundary of Sec. 12, T 23 N, R 6 W  
26.85 a B. Oak 24 in. dia.  
40.00 lot of sec. part from which  
a W. Oak 12 in. diameter East 28 lbs. dist. 8  
a Do 14 " " " S 65° W 70 " "  
26.79 a Do 18 " "



T. 23 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>Chp. 1<sup>st</sup>.

80.00 set post cor. of sec. 12 from which  
 a W. Oak 20 in. dia. bears S 36° W 40 lbs. dist. 8  
 a Do 18 " " " N 85° E 65 " "  
 Land of a middling good quality

North on the E. Boundary of Sec. 1, T. 23 N., R. 6 W

40.00 set gr. sec. post from which  
 a W. Oak 18 in. dia. bears S 30° E 3 lbs. dist. 8  
 a Do 18 " " " N 32° W 38 " "

42.00 enter Prairie

80.00 passed " & set temp. Township cor. post  
 (Description of land &c. omitted)  
 Surveyed in 1819 & 1820 by  
 William Harris  
 Dep. Surveyor.

## Subdivision. Var. 6° 45' E.

North between Sec. 35 & 36, T. 23 N., R. 5 W.

21.55 a W. Oak 18 in. dia

33.05 Wabash River Set post cor. to Sec. 35 & 36 from which  
 a Hackberry 12 in. dia. bears N 34° W 25 lbs. dist. 2  
 a Buckeye 3 " " " S 53° E 45 " "  
 Land level 2<sup>nd</sup> rate timber Oak Hickory &c

North Between Sec. 34 & 35

6.00 Dry prairie

18.00 a Creek 100 lbs. wide course et. W.

19.61 a Hackberry 9 in. dia.

20.11 a Creek 60 lbs. wide course N. E.

40.00 Set gr. Sec. post in prairie raised mound

73.82 a Post Oak 9 in. dia.

74.50 a Creek 50 lbs. wide course W.

80.00 Set post cor. to Sec. 26, 27, 34, 35 from which

a Post Oak 12 in. dia. bears N 62° E 270 lbs. dist. 2  
 a Honeylocust 18 " " " S 44° W 248 " "

Land level rich prairie timber land bottom Post Oak

## T. 23 N., R. 5 W. 2. Mer. Ind.

Chas. G.?

East on ~~Random~~ Between Sec. 26 & 35

26.13 Intersect Wabash River made cor. of a Maple 20  
in. dia. stands for. elder post from which  
a Maple 15 in. dia. bears S 67 W 20 lks. dist. &  
a Cottonwood 30 in. dia. bears N 53 W 58 " "  
Land level 2<sup>d</sup> rate timber Oak Cottonwood  
Sugar Walnut &c

North Between Sec. 33 &amp; 34

40.00 Set gr. Sec. post raised mound

56.00 Enter Grove

61.00 Enter prairie

79.36 Wabash River Set post cor. to Sec. 33.34 from wh.

a Plum 3 in. dia. bears S 37 W 10 lks. dist. &amp;

a Do 4 " " " S 79 E 16 " "

Land prairie level rich

North Between Sec. 32 &amp; 33

40.00 Set gr. Sec. post raised mound in prairie

80.00 Set post cor. to Sec. 28.29.32.33. from which

a B. Jack 9 in. dia. bears S 57 W 22 lks. dist. &amp;

a Do 9 " " " N 7 1/2 E 96 " "

Land prairie rolling rich

East on Random Between Sec. 28 &amp; 33

22.00 Enter Grove

30.00 Enter prairie

40.00 Set temp. gr. Sec. post

68.00 a Grove

72.19 Bank of Wabash river at a plum tree thicket

Set post cor. to Sec. 28.33 from which

a Plum 3 in. dia. bears S 86 W 8 lks. dist.

Do 3 1/2 " " " N 71 W 12 " "

Land level rich prairie &amp;c

July 9<sup>th</sup> 1923

T. 23 N., R. 5 W., L. Mer. Ind.<sup>o</sup>  
 W. Sks.

West marked between 28 & 33

a Cotton Wood 24 in. dia. bears N 27 $\frac{1}{2}$  E 347 lks. dist. &  
 a Post Oak 8 " " " S 36 E 365 " "

North Between Sec. 28 & 29

12.50 Enter timbered land

12.80 a Sugar 18 in. dia.

16.50 Bank of Wabash river Set post cor. to Sec. 28.29  
 from which

a Maple 20 in. dia. bears N 46 W 23 lks. dist. &

a R. Elm 4 " " " S 73 E 44 " "

Land prairie gravel 3<sup>rd</sup> rate timber land 2<sup>nd</sup>  
 rate timber Elm Cottonwood Hickory Sycamore  
 ore &c.

North Between Sec. 31 & 32

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 29.30.31.32 raised mound  
 Land prairie level rich

East on Random Between Sec. 29 & 32

40.00 Set temp. gr. Sec. post

82.41 Intersect E. Boundary 7 lks. E. of post  
 Land prairie level rich

West Connected Between Sec. 29 & 32

41.20 $\frac{1}{2}$  Set gr. Sec. post at aver. dist. raised mound

82.21 Sec. Cor.

North Between Sec. 29 & 30

40.00 Set gr. Sec. post raised mound

53.21 Made cor. on the left bank of Wabash river  
 of a Honeylocust 21 in. dia from which  
 a Elm 24 in. dia. bears S 57 E 28 lks. dist. &  
 a Hackberry 12 " " West 53 " "

Land prairie 2<sup>nd</sup> rate last  $\frac{1}{2}$  M. bottom land rich

*Complete*

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

Qu. Lks.

West Between Sec. 30 &amp; 31

40.00 Set gr. Sec. post raised mound

79.18 Intersect W. Boundary 62 lks. S. of post raised mound cor. to Sec. 30 &amp; 31

Land prairie rolling rich

North Between Sec. 33 &amp; 36

Continued from S.E. Side of Wabash River

33.05 Distance to the river

41.93 To N. Bank of river 8.93 lks. wide

Set post cor. to Sec. 35 &amp; 36 from which

a Maple 16 in. dia. bears S 45 W 5 lks. dist. &amp;

a Do 12 " " " S 46 1/2 E 38 " "

67.00 Leave river bottom enter timber

80.00 Set post cor. to Sec. 25, 26, 35 &amp; 36 from which

a W. Oak 24 in. dia. bears North 12 lks. dist. &amp;

a R. Oak 22 " " " S 28 W 83 " "

Land bottom rich & to timber Upland 2<sup>d</sup> rate timber Oak

East on Random Between Sec. 25 &amp; 36

40.00 Set temp. gr. Sec. post

50.00 Enter Bottom

80.02 Intersect E. Boundary 95 lks. N. of post

Land level 2<sup>d</sup> rate timber Oak

West Connected Between Sec. 25 &amp; 36

40.01 Set gr. Sec. post at aver. dist. from which

a R. Oak 30 in. dia. bears N 60 W 3 lks. dist. &amp;

a R. Oak 22 " " " S 40 E 95 " "

80.02 Sec. Cor.

North Between Sec. 25 &amp; 26

10.12 a W. Oak 12 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 20 in. dia. bears N 50 E 51 lks. dist. &amp;

20.15



T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>

No. 20.

" W. Oak 20 in. dia. bears S 61 W 38 lks. dist. &  
 42.45 a Hlaeberry 22 in. dia.  
 80.00 Set post cor. to Sec. 23, 24, 25, 26 from which  
 a W. Oak 21 in. dia. bears N 59 E 61 lks. dist. &  
 a Do 22 " " " S 41 1/2 W 25 " "  
 Land rolling 2<sup>d</sup> rate timber Oak Hickory

---

## East on Random Between Sec. 24 &amp; 25

20.00 Enter prairie  
 40.00 Set temp. gr. Sec. post  
 60.00 a point of Grove West  
 79.00 Intersect E. Boundary 8 lks. S of mound  
 Land prairie level rich timber land 2<sup>d</sup> rate  
 Timber Oak

---

## West Connected Between Sec. 24 &amp; 25

39.50 Set gr. Sec. post at aver. dist. raised mound  
 79.00 Sec. Cor.

---

## North Between Sec. 23 &amp; 24

20.00 a R. Oak 27 in. dia.  
 40.00 Set gr. Sec. post from which a W. Oak - in. dia.  
 45.33 a Sugar 12 in. dia.  
 65.00 a Brook 10 lks. wide course S. W.  
 80.00 Set post cor. to Sec. 13, 14, 23, 24 from which  
 a W. Oak 10 in. dia. bears N 69 E 29 lks. dist. &  
 a R. Oak 40 " " " S 70 W 27 " "  
 Land rolling 2<sup>d</sup> rate timber Oak

---

## East on Random Between Sec. 13 &amp; 24

5.45 a Brook 5 lks. wide course S.  
 40.00 Set temp. gr. Sec. post  
 79.65 Intersect E. Boundary 63 lks. N. of post  
 Land rolling 2<sup>d</sup> rate timber Oak Sugar  
 Hickory

---

T. 23 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Cm. Lks

West Connected Between Sec. 13 &amp; 24

39.82½ Set gr. Sec. post at aver. dist. from which  
a W. Oak 36 in. dia. bears S 71 E 104 lks. dist. &

a Do 39 " " " N 48 W 39 " "

79.65 Sec. Cor. September 18<sup>th</sup> 1822

North Between Sec. 13 &amp; 14

13.75 a W. Oak 20 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 24 in. dia. bears N 79 W 51 lks. dist. &amp;

a Sugar 18 " " " S 83 E 81 " "

45.60 a Do 12 " "

80.00 Set post cor. to Sec. 11. 12. 13. 14 from which

an Elm 16 in. dia. bears N 80½ W 83 lks. dist. &amp;

a Sugar 24 " " " N 58 W 33 " "

Land level 2 rate timber Oak Hickory Sugar

Ugr. thick scrub &amp;c

East on Random Between Sec. 12 &amp; 13

40.00 Set temp. gr. Sec. post Enter prairie

55.00 Timber land

79.56 Intersect E. Boundary 32 lks. N. of post

Land first half mile rolling bushy 2 level

2 rate timber Oak Hickory &amp;c

West Connected Between Sec. 12 &amp; 13

39.78 Set gr. Sec. post at aver. dist. from which

a W. Oak 22 in. dia. bears S 23 W 174 lks. dist. &amp;

a Do 26 " " " N 23 W 356 " "

79.56 Sec. Cor.

North Between Sec. 11 &amp; 12

8.62 a Bur Oak 24 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 30 in. dia. bears N 66 W 60 lks. dist. &amp;

a Do 36 " " " N 36 E 100 " "



## T. 23 N., R. 5 W. 2. Mer. Ind.?

Mr. Lho.

42.50 a B. Oak 20 in. dia

80.00 Set post cor. to Sec. 1. 2. N. 12 from which  
a W. Oak 36 in. dia. bears S 29 W 103 lks. dist. &

a Do 37 " " " S 24 E 62 " "

Land level 2<sup>nd</sup> rate bushy timber Oak Hickory  
Sugar Ash

East on Random Between Sec. 18 &amp; 12

40.00 Set temp. gr. Sec. post

79.37 Intersect E. Boundary 66 lks. E. of post

Land level 2<sup>nd</sup> rate timber Ash Hickory Sugar

West Corrected Between Sec. 18 &amp; 12

39.68½ Set gr. Sec. post at aver. dist. from which

a W. Oak 33 in. dia. bears S 27 E 62 lks. dist. &amp;

a B. Oak 22 " " " N 6 W 134 " "

79.37 Sec. Cor. September 20<sup>th</sup> 1823

North Between Sec. 18 &amp; 12

13.30 a R. Oak 30 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 27 in. dia. bears N 56½ E 73 lks. dist. &amp;

a R. Oak 24 " " " S 17 W 19 " "

54.50 a Do 12 " "

81.60 Intersect N. Boundary 181 lks. E. of post

Set post cor. to Sec. 1. 2. from which

a R. Oak 22 in. dia. bears S 55 E 46 lks. dist. &amp;

a Do 15 " " " S 86 W 94 " "

Land level 2<sup>nd</sup> rate timber Oak Hickory Ash Sugar  
or Last half mile barren or bushy

West Between Sec. 26 &amp; 35

40.00 Set gr. Sec. post from which

a W. Oak 18 in. dia. bears S 31 W 31 lks. dist. &amp;

a Do 21 " " " S 53 E 69 " "

46.29 Intersect Wabash river 416 lks. N. of opposite cor.

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind<sup>as</sup>

Wm. L. S.

Set post cor. to Sec. 26 & 35 from which  
 a W. Oak 32 in. dia. bears N 19 W 18 lbs. dist. &  
 an Elm 60 " " " S 13 E 83 " "

55.87 distance across river to opposite bank or corner  
 8.56 lbs. wide

## West Between Secs. 27 &amp; 34

3.50 a Creek 50 lbs. wide course N. W.

5.50 a Do 50 " " " S. W.

8.00 a Do 100 " " " N. W.

15.50 a Do 50 " " " S. W.

18.15 a Do 75 " " " N. W. enter prairie

40.00 Set gr. Sec. post from which

a Honeylocust 8 in. dia. bears N 59 W 16 8 lbs. dist. &

a B. Jack 10 " " " S 41 E 274 " "

47.00 Enter grove

50.00 Enter prairie

61.00 a Grove

72.10 Intersect Wabash river Set post for. cor. from which

a Red Hawk 12 in. dia. bears S 81 W 14 lbs. dist. &

a Honeylocust 40 " " " N 62 E 60 " "

Land prairie rich level

## North Between Secs. 26 &amp; 27

12.78 Set post on left bank of Wabash river from which

a Red Hawk 12 in. dia. bears N 35 W 29 lbs. dist. &

a Willow 12 " " " N 70 E 28 " "

20.28 Set post on right bank of Wabash river from which

a B. Oak 14 in. dia. bears S 28 W 16 lbs. dist. &

a Do 12 " " " S 73 E 29 " "

34.40 a B. Jack 9 " "

40.00 Set gr. Sec. post from which

a W. Oak 20 in. dia. bears N 31 W 134 lbs. dist. &

a Honeylocust 4 " " " S 18 E 71 " "

80.00 Set post cor. to Secs. 22, 23, 26, 27 from which

a B. Oak 27 in. dia. bears N 33 W 11 lbs. dist. &

T. 23 N., R. 5 W. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

W. Dr.

a B. Oak 26 in. dia. bears S 49 $\frac{1}{2}$  E 104 W. dist. &  
 Land rolling 2<sup>d</sup> rate barrens timber Oak &  
 Hickory B. Jack

East on Random Between Sec. 23 &amp; 26

40.00 Set temp. gr. Sec. post

78.53 Intersect N &amp; S. line 30 W. S. of post

Land level plain or open barrens timber Oak  
 Hickory

West Connected Between Sec. 23 &amp; 26

39.26 $\frac{1}{2}$  Set gr. Sec. post at aver. dist. from whicha W. Oak 20 in. dia. bears N 42 $\frac{1}{2}$  E 354 W. dist. &a Do 4 " " " S 82 $\frac{1}{2}$  E 77 " "

78.53 Sec. Cor.

North Between Sec. 22 &amp; 23

8.64 a W. Oak 24 in. dia. enter timber land

40.00 Set gr. Sec. post from which

a W. Oak 26 in. dia. bears S 68 W. 16 W. dist. &amp;

a Do 20 " " " N 69 $\frac{1}{2}$  E 100 " "

59.00 a Brook 20 W. wide course S. W.

80.00 Set post cor. to Sec. 14. 15. 22 &amp; 23 from which

a B. Jack 5 in. dia. bears N 24 $\frac{1}{2}$  E 13 W. dist. &

a W. Oak 36 " " " S 85 W 95 " "

Land first half mile 2<sup>d</sup> rate 2 half mile broken  
 3<sup>d</sup> rate timber Oak Hickory B. Jack

East on Random Between Sec. 14 &amp; 23

14.80 a Brook 20 W. wide course S.

40.00 Set temp. gr. Sec. post

79.23 Intersect N &amp; S. line 25 W. S. of post

Land rolling 2<sup>d</sup> rate timber Oak Hickory  
 Upr. Briars grubs Barrens

West Connected Between Sec. 14 &amp; 23

## T. 23 N., R. 5 W. 2. Mer. Ind. a

Mr. Tho.

39.61½ Set gr. Sec. post at aver. dist. from which  
 a W. Oak 48 in. dia. bears S 12 E 74 lbs. dist. &  
 Do 15 " " " N 18 W 44 " "

79.23 Sec. Cor.

## North Between Sec. 14 &amp; 15

16.16 a Hickory 16 in. dia.

40.00 Set gr. Sec. post from which  
 a R. Oak 27 in. dia. bears N 7 W 137 lbs. dist. &  
 a Do 36 " " " S 43 E 125 " "

46.62 a W. Oak 35 " "

80.00 Set post cor. to Sec. 10, 11, 14, 15 from which  
 a W. Oak 5 in. dia. bears N 54 W 36 lbs. dist. &  
 a Hickory 20 " " " S 23 E 21 " "  
 Land rolling 2 rate timber Oak Hickory  
 Ugr. Scrubs

## East on Random Between Sec. 11 &amp; 14

40.00 Set temp. gr. Sec. post

79.00 Intersect 18 S. line 180 lbs. N. of post  
 Land level 2 rate timber Oak Hickory Sugar  
 Ugr. brush briars &c

## West Connected Between Sec. 11 &amp; 14

39.50 Set gr. Sec. post at aver. dist. from which  
 a Pin Oak 18 in. dia. bears S 61 W 50 lbs. dist. &  
 a Sugar 20 " " " N 66 E 44 " "

79.00 Sec. Cor. September 21<sup>st</sup> 1823

## North Between Sec. 10 &amp; 11

10.10 a Br Oak 9 in. dia.

40.00 Set gr. Sec. post of a Red Oak 20 in. dia. from which  
 an Ash 26 in. dia. bears N 53 E 48 lbs. dist. &  
 a Hickory 18 " " " S 65 W 68 " "

48.15 a W. Elm 30 " "

80.00 Set post cor. to Sec. 2, 3, 10, 11 from which



## T. 23 N., R. 5 W. 2. Mer. Ind.

W. Lks.

a Sugar Win. dia. bears N 88 E 19 Mts. dist. &amp;

a Do 24 " " " N 60 W 24 " "

Land level 2<sup>nd</sup> rate timber Oak Hickory Ash

Sugar Elm walnut Beech

East on Random Between Sec. 28 &amp; 11

40.00 Set temp. gr. Sec. post

79.02 Intersect N 88 E line 11 Mts. S. of post

Land level 2<sup>nd</sup> rate timber Oak Hickory Ash

Sugar Walnut Elm Linn

West Corrected Between Sec. 28 &amp; 11

39.01 Set gr. Sec. post at aver. dist. from which

an Ironwood Win. dia. bears N 7 W 23 Mts. dist. &amp;

a Sugar 24 " " " S 23 E 49 " "

79.02 Sec. Cor.

North Between Sec. 28 &amp; 3

19.55 a Burr Oak 30 in. dia.

40.00 Set gr. Sec. post from which

an B. Oak 20 in. dia. bears N 60 E 80 Mts. dist. &amp;

a W. Oak 36 " " " S 28 E 38 " "

50.00 Enter prairie

84.62 Intersect N. Boundary but not being able to find  
the post I cannot say how far E. of post as no notes  
were furnished of the said line Set post cor. from which

a W. Oak 24 in. dia. bears S 68 W 500 Mts. dist. &amp;

a Willow 6 " " " S 68 E 136 " "

Land level 2<sup>nd</sup> rate timber Sugar Hickory ash Wal-  
nut prairie level rich

North Between Sec. 27 &amp; 28

Sec. Cor. 64 Mts. in River

5.22 to an Island

8.72 Across Island to water

11.53 to a cor. a Honeylocust 15 in. dia. from which

## T. 23 N., R. 5 W. 2. Mer. Ind.

Mr. Dks.

- a Honeylocust 13 in. dia. bears S 85 W 9 lbs. dist. &  
 a Cottonwood 42 " " " S 57 E 18 " "  
 40.00 Set gr. Sec. post from which  
 a B. Jack 8 in. dia. bears S 56 W 42 9 lbs. dist. &  
 a Hickory 4 " " " N 1 E 156 " "  
 55.33 a B. Oak 15 " "  
 60.00 Leave river bottom  
 80.00 Set post cor. to Sec. 21. 22. 27. 28 from which  
 a Sugar 26 in. dia. bears N 66 1/2 W 195 lbs. dist. &  
 a R. Oak 30 " " " S 44 E 189 " "  
 Land level bottom rich upland 2 rate timber  
 er. a Few Scattering Oaks and B. Jacks some  
 Small Hickorys

East on Random Between Sec. 22 &amp; 27

- 40.00 Set temp. gr. Sec. post  
 78.00 Intersect N & S line 120 lbs. S. of post  
 Land level 2 rate timber Oak Hickory

West Corrected Between Sec. 22 &amp; 27

- 39.00 Set gr. Sec. post at aver. dist. from which  
 a B. Oak 20 in. dia. bears S 73 E 162 lbs. dist. &  
 a R. Oak 40 " " " N 81 W 96 " "  
 78.00 Sec. Cor.

North Between Sec. 21 &amp; 22

- 15.32 a Beech 18 in. dia.  
 18.00 a Spring Brook 18 lbs. dist. course S. W.  
 40.00 Set gr. Sec. post from which  
 a R. Oak 40 in. dia. bears S 85 W 35 lbs. dist. &  
 a Hickory 20 " " " East 56 " "  
 46.15 a W. Oak 20 " "  
 80.00 Set post cor. to Sec. 15. 16. 21. 22 from which  
 a Hickory 20 in. dia. bears N 57 W 57 lbs. dist. &  
 a R. Oak 36 " " " S 61 E 38 " "  
 Land 1/4 mile 3 rate 2 level 2 rate tim. Oak Sug. Beech



T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>c</sup>

Mn. Lks.

East on Random Between Sec. 15822

40.00 Set temp. gr. Sec. post

55.60 a Brook 8 lks. wide course S.

62.50 a Do 4 " " " S.E.

78.60 Intersect N. S. line 134 lks. S. of post

Land 1<sup>st</sup> 4<sup>th</sup> M. 2<sup>d</sup> rate 2<sup>d</sup> 3<sup>d</sup> rate broken timber  
Oak Hickory &c

West Connected Between Sec. 15822

39.30 Set gr. Sec. post at aver. dist. from which

a Sugar 18 in. dia. bears N 30 W 71 lks. dist. &amp;

a W. Oak 30 " " " S 56 E 62 " "

78.60 Sec. Cor.

North Between Sec. 15816

20.50 a Hickory 24 in. dia.

40.00 Set gr. Sec. post from which

a B. Walnut 8 in. dia. bears N 12 $\frac{1}{2}$  E 22 lks. dist. &

a W. Oak 15 " " " S 5 W 47 " "

46.50 a Hickory 15 " "

80.00 Set post cor. to Sec. 9. 10. 15. 16. from which

a W. Oak 8 in. dia. bears N 33 W 82 lks. dist. &amp;

a Do 8 " " " S 31 E 39 " "

Land level 2<sup>d</sup> rate timber Oak Ash Hickory Sugar  
Ugr. Hazle Hickory Oak grubs &c

East on Random Between Sec. 10815

40.00 Set temp. gr. Sec. post

78.46 Intersect N. S. line 27 lks. S. of post

Land level 2<sup>d</sup> rate timber Oak Elm Hickory  
Ugr. Hazle Shrubs

West Connected Between Sec. 10815

39.23 Set gr. Sec. post at aver. dist. from which

a R. Oak 32 in. dia. bears N 55 W 58 lks. dist. &amp;

a Sugar 20 " " " S 31 E 166 " "

## T. 23 N., R. 5 W. 2. Mer. Ind. a

Wm. Lks.

78.46 Sec. Cor. Monday Sept. 23 1822

North Between Sec. 9 &amp; 10

8.44 a Bur Oak 15 in. dia.

40.00 Set gr. Sec. post from which

a Bur Oak 18 in. dia. bears N 67 E 90 lks. dist. &amp;

a R. Oak 40 " " " S 49 W 200 " "

50.15 a W. Oak 20 " "

50.60 a Brook 4 lks. wide course N. W.

55.90 a Do 5 " " " N. E.

70.10 a Do 10 " " " W.

80.00 Set post cor. to Sec. 3. 4. 9. 10 from which

a B. Jack 12 in. dia. bears N 17 E 26 3 lks. dist. &amp;

a R. Oak 26 " " " S 26 W 68 " "

Land level 2 rate timber Oak Hickory B. Jack

East on Random Between Sec. 3 &amp; 10

40.00 Set temp. gr. Sec. post

78.68 Intersect N. S. line 36 lks. S. of post

Land level 2 rate timber Oak Hickory Sugar

West Corrected Between Sec. 3 &amp; 10

39.34 Set gr. Sec. post at aver. dist. from which

a Hickory 20 in. dia. bears S 21 W 80 lks. dist. &amp;

a B. Oak 18 " " " N 47 E 100 " "

78.68 Sec. Cor.

North Between Sec. 3 &amp; 4

17.34 a W. Oak 24 in. dia.

18.75 a Brook 15 lks. wide course S. W.

40.00 Set gr. Sec. post from which

a B. Oak 24 in. dia. bears N 66 1/2 W 346 lks. dist. &amp;

a R. Oak 20 " " " S 53 E 163 " "

50.25 a B. Oak 24 " "

78.00 Enter prairie

85.25 Intersect N. Boundary found the line in time

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind. a

Mo. Lks.

ber to the E. but could not find post nor mound  
or anything indicative for cor. set post for  
cor. to Sec. 38 & 4 from which  
a B. Jack 24 in. dia. bears S 68° 8' 70 lbs. dist. &  
" Do 12 " " " S 26° W 874 " "  
Land level 2<sup>d</sup> rate timber Oak B. Jack Hickory  
open woods but little timber

North Between Sec. 28 & 29

16.50 Left bank of Wabash River

17.50 an Island 170 lbs. wide

27.37 Set post on right bank of river from which

a Cottonwood 14 in. dia. bears N 12° W 37 lbs. dist. &

a Plumtree 5 " " " N 62° W 13 " "

40.00 Set gr. Sec. post from which

a Bur Oak 8 in. dia. bears S 65° E 284 lbs. dist. &

a Hickory 8 " " " S 88° W 313 " "

80.00 Set post cor. to Sec. 20, 21, 28, 29 from which

a W. Oak 40 in. dia. bears N 22° E 295 lbs. dist. &

a B. Oak 18 " " " S 12° W 264 " "

Land bottom rich a few scattering Oak Hickory  
Plum B. Jack of small size

East on Random Between Sec. 21 & 28

40.00 Set temp. gr. Sec. post

79.57 Intersect of I. line 79 lbs. S. of post

Land level 2<sup>d</sup> rate timber Oak Hickory

West Connected Between Sec. 21 & 28

39.78½ Set gr. Sec. post at aver. dist. from which

a W. Elm 7 in. dia. bears N 10° W 44 lbs. dist. &

" Do 8 " " " S 41° E 11 " "

79.57 Sec. Cor.

North Between Sec. 20 & 21

9.00 Leave bottom

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. 1/2

17.69 a W. Oak 36 in. dia.

40.00 Set gr. Sec. post from which

a Sugar 16 in. dia. bears N 74 E 73 lbs. dist. &amp;

a Beech 24 " " " S 79 W 69 " "

51.50 a Do 24 " "

80.00 Set post cor. to Sec. 16. 17. 20. 21 from which

a Sugar 15 in. dia. bears N 83 E 45 lbs. dist. &amp;

a W. Oak 32 " " " S 85 W 23 " "

Land level 2<sup>d</sup> rate timber Oak Hickory Hickory  
Beech Sugar

East on Random Between Sec. 16 &amp; 21

40.00 Set temp. gr. Sec. post

48.25 a Brook 10 lbs. wide course S. E.

53.00 a Do 3 " " " N. W.

79.25 Intersect N &amp; S line 93 lbs. et. of post

Land broken 3<sup>d</sup> rate timber Oak Hickory

West Connected Between Sec. 16 &amp; 21

39.62<sup>1</sup>/<sub>2</sub> Set gr. Sec. post at aver. dist. from which

a W. Oak 20 in. dia. bears N 26 W 24 lbs. dist. &amp;

a Do 36 " " " S 82 E 66 " "

79.25 Sec. Cor.

North Between Sec. 16 &amp; 17

25.25 a W. Oak 20 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 12 in. dia. bears N 83 E 33 lbs. dist. &amp;

a Do 17 " " " S 30 W 17 " "

44.00 a Do 20 " "

80.00 Set post cor. to Sec. 8. 9. 16. 17 from which

a B. Oak 20 in. dia. bears S 55 E 18 lbs. dist. &amp;

a W. Oak 36 " " " S 78 W 80 " "

Land level 2<sup>d</sup> rate timber Oak Hickory  
Sugar ash &c



T. 23 N., R. 5 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

Mrs. Lks.

East on Random Between Sec. 9 &amp; 16

40.00 Set temp. gr. Sec. post

79.47 Intersect N. &amp; S. line 247 lks. N. of post

Land level 2<sup>d</sup> rate timber Oak Hickory Sugar

West Connected Between Sec. 9 &amp; 16

39.78 Set gr. Sec. post at aver. dist from which  
a Hickory 18 in. dia. bears N 86 E 55 lks. dist. &  
a Do 20 " " " N 84 W 76 " "79.47 Sec. Cor. September 25<sup>th</sup> 1822

North Between Sec 29 &amp; 30 Continued

53.21 Left side bank of Wabash River

62.48 Set post on right bank of Wabash river

a Cottonwood 12 in. dia. bears N 41 W 77 lks. dist. &amp;

a Do 18 " " " S 42 W 46 " "

80.00 Set post cor. to Sec. 19. 20. 29. 30 from which

a W. Oak 27 in. dia. bears N 82 E 127 lks. dist. &amp;

a Do 24 " " " S 81 W 212 " "

Land bottom level rich a few Scattering Oaks.

East on Random Between Sec. 20 &amp; 29

40.00 Set temp. gr. Sec. post

82.11 Intersect N. &amp; S. line 143 lks. N. of post

Land bottom timber Oak

West Connected Between Sec. 20 &amp; 29

41.05 1/2 Set gr. Sec. post at aver. dist from which

a R. Oak 27 in. dia. bears S 77 W 23 lks. dist. &amp;

a W. Oak 18 " " " N 72 E 134 " "

82.11 Sec. Cor.

North Between Sec. 19 &amp; 20

5.00 Leave river bottom

8.50 a Brook 3 lks. wide course S. W.

40.00 Set gr. Sec. post from which

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Mrs. Gks.

" Hickory 10 in. dia. bears South 4 lbs. dist. &  
 " Do 9 " " " N 8 W 48 " "  
 77.12 " W. Oak 10 " "  
 80.00 Set post cor. to Sec. 17, 18, 19, 20 from which  
 " Red Oak 20 in. dia. bears S 82 E 36 Mo. dist. &  
 " Sugar 18 " " " N 45 1/2 W 41 " "  
 Land broken 3<sup>d</sup> rate timber Oak at cor. Sugar

East on Random Between Sec. 17 & 20

40.00 Set temp. gr. Sec. post  
 81.88 Intersect N & S line 68 lbs. N. of post  
 Land 1<sup>st</sup> mile broken 3<sup>d</sup> rate 2<sup>nd</sup> 1/2 mile level 2<sup>d</sup>  
 rate timber Oak Hickory Sugar

West Connected Between Sec. 17 & 20

40.94 Set gr. Sec. post at aver. dist. from which  
 " W. Oak 48 in. dia. bears S 89 W 20 Mo. dist. &  
 " Do 24 " " " N 40 E 54 " "  
 81.88 Sec. Cor.

North Between Sec. 17 & 18

24.44 " W. Oak 14 in. dia.  
 40.00 Set gr. Sec. post from which  
 " W. Oak 20 in. dia. bears S 77 E 25 Mo. dist. &  
 " Do 22 " " " N 66 W 42 " "  
 45.55 " Do 36 " "  
 55.50 Enter bottom  
 77.00 Leave "  
 78.00 " Spring course S. E.  
 80.00 Set post cor. to Sec. 7, 8, 17, 18 from which  
 " Hickory 16 in. dia. bears S 49 W 27 Mo. dist. &  
 " B. Oak 15 " " " N 55 E 100 " "  
 Land broken 1<sup>st</sup> mile 2<sup>d</sup> rate 2<sup>nd</sup> 1/2 mile 3<sup>d</sup>  
 rate timber Oak Hickory

East on Random Between Sec. 8 & 17



## T. 23 N., R. 5 W. 2. Mer. Ind.?

Mus. Lks

4.00 a Brook 5 lks. wide course S.E.  
 14.25 a Do 10 " " " S.E.  
 40.00 Set temp. gr. Sec. post  
 70.00 a Brook 9 lks. wide course N  
 82.50 Intersect N. & S. line 42 lks. S. of post  
 Land broken 2<sup>d</sup> rate timber Oak Hickory

West Corrected Between Secs. 8 &amp; 17

41.25 Set gr. Sec. post at aver. dist. from which  
 a B. Walnut 20 in. dia. bears S 78 E 72 lks. dist. &  
 a R. Oak 18 " " " N 34 W 74 " "  
 82.00 Sec. Cor. September 26<sup>th</sup> 1822

North Between Secs. 7 &amp; 8

21.65 a Hickory 15 in. dia. bears  
 40.00 Set gr. Sec. post from which  
 a B. Oak 20 in. dia. bears N 62 E 41 lks. dist. &  
 a Hickory 10 " " " N 57 W 46 " "  
 44.16 a W. Oak 30 " "  
 80.00 Set post cor. to Secs. 5, 6, 7, 8 from which  
 a Bur. Oak 40 in. dia. bears N 22 E 39 lks. dist. &  
 a Hickory 20 " " " S 18 W 22 " "  
 Land level 2<sup>d</sup> rate timber Oak Hickory

East on Random Between Secs. 5 &amp; 8

40.00 Set temp. gr. Sec. post  
 82.35 Intersect N. & S. line 228 lks. S. of post  
 Land level 2<sup>d</sup> rate timber Oak

West Corrected Between Secs. 5 &amp; 8

41.17½ Set gr. Sec. post at aver. dist. from which  
 a W. Oak 24 in. dia. bears N 31 W 98 lks. dist. &  
 a Do 36 " " " S 8 E 21 " "  
 82.35 Sec. Cor.

North Between Secs. 8 &amp; 9

T. 23 N., R. 5 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
 Qrs. Lks.

- 3.72 a Sugar 22 in. dia.  
 23.50 a Brook 15 lks. wide course S. E.  
 40.00 Set gr. Sec. post from which  
     a Sugar 22 in. dia. bears S 63 W 59 lks. dist. &  
     a Lynn 20 " " " N 80 E 59 " "  
 40.75 a Brook 9 lks. wide course S. E.  
 41.75 a W. Oak 12 in. dia.  
 80.00 Set post cor. to Sec. 4. 5. 8. 9 from which  
     a B. Oak 24 in. dia. bears N 37 W 55 lks. dist. &  
     a Do 30 " " " S 27 W 27 " "  
 Land 2<sup>d</sup> rate timber Oak Hickory Sugar

East on Random Between Sec. 4 & 9

- 40.00 Set temp. gr. Sec. post  
 68.00 a Brook 15 lks. wide course S.  
 79.00 Intersect N 8 S. line 181 lks. E. of post  
 Land level 2<sup>d</sup> rate timber Oak Hickory

West Connected Between Sec. 4 & 9

- 39.50 Set gr. Sec. post at aver. dist from which  
     a W. Oak 22 in. dia. bears N 65 E 10 lks. dist. &  
     a Do 20 " " " S 76 E 38 " "  
 79.00 Sec. Cor.

North Between Sec. 4 & 5

- 18.32 a B. Oak 22 in. dia.  
 40.00 Set gr. Sec. post from which  
     a B. Oak 24 in. dia. bears South 20 lks. dist. &  
     a Do 26 " " " N 49 W 53 " "  
 41.71 a W. Oak 20 " "  
 83.06 Intersect N. Boundary 500 lks. E. of post  
     Set post cor. to Sec. 4 & 5 from which  
     a B. Oak 21 in. dia. bears N 3 E 105 lks. dist. &  
     a Do 24 " " " S 81 E 141 " "  
 Land level 2<sup>d</sup> rate timber Oak Hickory &c  
 September 27<sup>th</sup> 1822

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind. a

Q. No. 110.

North Between Secs. 58 &amp; 6

6.48 a Hickory 18 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 12 in. dia. bears N 25 W 10 1/2 lbs. dist. &amp;

a B. Oak 20 " " " S 40 E 41 " "

45.91 a Do 30 " "

64.91 Enter prairie

85.92 Intersect N. Boundary but distance from  
cor. could not ascertain as the post could not  
be found Set post for cor. from which  
a Hickory 18 in. dia. bears N 1 W 8 1/2 lbs. dist. &  
a Do 20 " " " S 1 W 10 1/2 " "Land prairie level rich 2<sup>d</sup> rate

West Between Secs. 68 &amp; 7

2.23 a W. Oak 18 in. dia.

29.70 a Brook 16 lbs. wide course S. E.

40.00 Set gr. Sec. post from which

a W. Oak 20 in. dia. bears N 3 W 55 lbs. dist. &amp;

a Do 24 " " " N 88 W 99 " "

55.80 a Do 30 " "

74.65 Intersect W. Boundary 36 lbs. S. of post  
Set post cor. to Sec. 68 & 7 from which

a W. Oak 22 in. dia. bears S 51 W 21 lbs. dist. &amp;

a Do 19 " " " N 81 E 75 " "

Land prairie 2<sup>d</sup> rate timber Oak Hickory

West Between Secs. 78 &amp; 18

15.90 a B. Oak 20 in. dia.

20.25 a Brook 18 lbs. wide course S. E.

40.00 Set gr. Sec. post from which

a B. Oak 24 in. dia. bears N 51 W 140 lbs. dist. &amp;

a Do 15 " " " S 47 E 121 " "

57.29 a W. Oak 24 " "

73.73 Intersect W. Boundary 76 lbs. S. of post  
Set post cor. to Sec. 7 & 18 from which

*T. 23 N., R. 5 W. 2. Mer. Ind. a*  
*Mar 4<sup>th</sup>*

*a W. Oak 18 in. dia. leas N 54 E 66 lbs. dia. x*

*a Do 24 " " " 956 W 68 " "*

*Land first half mile broken 3<sup>d</sup> rate 2<sup>d</sup> level 2<sup>d</sup>  
 rate timber Oak Hickory &c*

*Feb. 9<sup>th</sup> 1823*

*West Between Sec. 18 & 19*

*0.75 a Brook 9 lbs. wide course N.E.*

*2.17 a W. Oak 20 in. dia.*

*40.00 Set gr. Sec. post from which*

*a Sugar 16 in. dia. leas N 47 W 36 lbs. dia. x*

*a W. Oak 14 " " " 921 W 35 " "*

*75.42 Intersect W. Boundary 104 lbs. N. of post*

*Set post cor. to Sec. 18. 19 from which*

*a Cottonwood 18 in. dia. leas N 11<sup>1</sup>/<sub>2</sub> E 157 lbs. dia. x*

*a B. Jack 12 " " " 969 E 121 " "*

*Land 1<sup>1</sup>/<sub>2</sub> mile 3<sup>d</sup> rate broken 2<sup>d</sup> mile 2<sup>d</sup>  
 rate timber Oak Hickory Sugar*

*West Between Sec. 19 & 30*

*31.00 a W. Oak 30 in. dia.*

*40.00 Set gr. Sec. post from which*

*a B. Oak 36 in. dia. leas N 48 W 153 lbs. dia. x*

*a W. Ash 8 " " " 965 E 53 " "*

*46.50 Enter Swamp*

*48.50 Leave "*

*64.00 a W. Oak 20 in. dia.*

*68.62 Leave bottom high land*

*74.83 Intersect W. Boundary 89 lbs. N. of post*

*Set post cor. to Sec. 19 & 30 from which*

*a W. Oak 24 in. dia. leas N 56 W 36 lbs. dia. x*

*a Do 20 " " " 948 E 62 " "*

*Land bottom rich upland Broken tim-  
 ber Oak & Ash*



T. 23 N., R 5 W. 2. Mer. Ind.<sup>a</sup>

Meanders of Wabash River. Left bank.  
Beginning at point in line dividing Sec. 26 & 27

Course	Ch. Lk.	Remarks
S 73 1/2 E	5.97	In Sec. 26, up stream
S 63 E	3.26	
S 60 E	25.20	to point in line between Sec. 26 & 35
S 60 E	9.00	In Sec. 35, up stream
S 44 E	12.57	
S 41 E	21.82	
S 54 E	6.77	
S 64 E	6.25	
S 70 E	12.20	to point in line between Sec. 35 & 36 Friday June 7. 1822
N 81 E	6.07	In Sec. 36, up stream
Eart	4.70	
S 82 E	6.69	
N 82 E	2.53	
S 74 E	1.47	
N 89 E	5.46	
N 83 E	2.00	lower point of an Island
N 83 E	3.12	a Spring brook
N 83 E	19.34	
N 60 E	1.16	a Spring brook from S.
N 60 E	7.88	
N 46 E	10.67	
N 67 E	3.04	to the upper end of an Island
N 48 E	14.35	to Range line dividing R. 4 & 5 (E. Bond.?)
		Beginning at point in line dividing Sec. 33 & 34, thence
S 80 E	2.48	In Sec. (34 & ) 27, up stream
S 86 E	1.69	
N 79 E	1.61	

## T. 23 N., R 5 W. 2. Mer. Ind.

Course	Chs.	Remarks
N 73 E	6.69	
N 81 E	7.26	
N 42 1/2 E	2.63	
N 81 E	4.59	
S 87 E	10.02	
N 80 E	16.25	
N 85 E	10.82	
N 75 E	7.07	
N 85 E	2.00	to a creek 150 Chs. wide course from S E. by name Weawe
S 76 E	5.22	
S 87 E	1.04	to port on line between Sec. 26 & 27
S 77 E	2.59	In Sec. 33, up stream
N 87 E	1.87	
S 89 E	3.50	
N 89 E	1.62	
Cont	4.00	to port in line between Sec. 33 & 34
S 51 E	1.82	In Sec. 29, up stream
S 57 1/2 E	23.16	
S 33 E	3.19	
S 55 E	11.79	
S 78 E	4.94	
S 84 E	2.47	
S 72 E	15.33	
S 60 E	4.69	
S 81 E	4.36	
S 74 E	14.90	
S 87 E	5.37	to port in line between Sec. 28 & 29
S 60 E	1.55	In Sec. 28, up stream
S 80 E	1.22	
S 85 E	3.60	
S 78 E	6.05	
S 86 E	16.67	
S 68 E	10.00	

T. 23 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Corners Cht. Sta.

Remarks

S65E 2.20

S70E 15.95

S85E 2.50

S52E 1.28

East 1.76 to post in line between Sec. 28 &amp; 33

N72W 16.04 In Sec. 30, down stream

N70W 3.08

N83W 10.46

N84W 9.00

N81W 6.00

S72W 4.00

S77W 4.13

S69W 9.40

S71W 9.29

S60W 3.40

S62W 3.60

S56W 1.24

S39W 1.20

S74W 2.06 to post in line dividing Ranges 5 & 6  
for in W. Boundary

S68E 5.71

S83E 11.11

N69E 1.57

N80E 5.20

N64E 10.50

N71E 4.03

N60E 5.68

N70E 5.25

N87E 7.50

N71E 5.23

N60E 2.91

N65E 7.05

N45E 5.39

Meanders of right bank

In Sec. 36, up stream

## T. 23 N., R. 5 W. 2. Mer. Ind. a

Courses & Dist. & Hrs.	Remarks.
N 63 E 4.09	
N 50 E 5.66	
N 45 E 2.05	to post in line dividing Ranges 4 & 5 (or in E. Boundary)
N 68 W 14.06	In Sec. 35, down stream
N 56 W 6.97	
N 37 W 6.46	
North 1.25	
N 44 W 6.04	upper end of an Island.
N 43 W 1.43	
N 35 W 4.50	lower end of an Island
N 26 W 2.93	
N 28 W 3.00	to post in line between Sec. 26 & 35 Monday, September 15. 1822
S 87 E 6.24	In Sec. 26, up stream
S 64 E 5.71	
S 61 E 15.00	
S 64 E 2.83	
S 51 E 6.67	
S 67 E 3.25	
S 43 E 2.29	
S 32 1/2 E 3.00	to post in line between Sec. 26 & 35 Tuesday, September 16. 1822
N 87 W 13.02	In Sec. 27, down stream
S 81 1/2 W 20.43	
S 86 W 13.50	
N 87 W 4.67	
S 79 W 12.25	
N 87 W 15.89	
S 67 W 2.81	upper end of an Island
S 85 W 4.78	to post in line between Sec. 27 & 28
West 9.00	In Sec. 28, down stream



## T. 23 N., R. 5 W. 2. Mer. Inda.

Gauges Etc. &amp;c.

Remarks

N 88° W 7.77	lower end of Island
N 67° W 12.94	September 22. 1822
N 75 1/2° W 5.82	
N 67° W 1.95	
N 80° W 6.80	
N 75° W 9.92	
S 86° W 2.73	
N 74° W 4.92	
S 86° W 1.99	
N 80° W 14.00	to port in line between Sec. 28 & 29 Thursday, September 24. 1822

---

N 89° W 6.13	In Sec. 29, down stream
N 66° W 0.92	
N 82° W 8.20	
N 72° W 10.35	
N 65° W 2.77	
N 84° W 2.71	
N 86° W 16.57	
N 61° W 12.80	
N 57° W 15.20	
N 27 1/2° W 1.20	
N 54° W 7.75	
N 61° W 2.37	
N 50° W 2.13	
N 71° W 10.31	to port in line between Sec. 29 & 30

---

N 73 1/2° W 8.59	In Sec. 30, down stream
N 70° W 9.45	
N 85° W 19.84	
S 80° W 5.97	
S 75° W 8.13	
S 70° W 18.68	
S 61° W 6.95	
S 57 1/2° W 3.44	to port in line dividing Ranges 5 & 6 (or in W. Boundary)

Surveyed.

T. 23 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Monday February 10. 1823

Surveyed by

John Milroy

Dep. Surveyor.

I certify that the foregoing transcript of field notes of the survey of Township N. 23 North, in Range N. 5 West of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office, }

November 17. 1842. Cincinnati }

William Johnston  
Sur. Genl.